

# Product data sheet

✉ [sales@brannan.co.uk](mailto:sales@brannan.co.uk)

☎ +44 (0)1946 816600

🌐 [brannan.co.uk](http://brannan.co.uk)

## KT020 - K-TYPE THERMOCOUPLE PROBES



### Product features:

- Widen temperature range of compatible products
- Improve access to objects where more remote reading is required due to limited access or for safety reasons
- Choice of models for various applications
- Stainless Steel probe
- **Brannan** quality and accuracy

### Standard product specifications:

Product number	38/690/0	38/691/0	38/692/0	38/693/0
Application	Solids & Liquids	Gas & Air	Surface Temperature/Contact	
Temperature range	-50 to 800°C&F	-50 to 800°C&F	-50 to 450°C&F	-50 to 450°C&F
Basic accuracy	+/-1.5°C			
Probe length	200mm	165mm	210mm	n/a
Product dimensions	330 x 16mm dia	295 x 16mm dia	390 x 65 x 16mm	145 x 16mm dia


NB: The thermocouple in these devices can be used for temperatures up to 800°C, but for prolonged use at high temperatures and all applications above 500°C&F, the handles should be protected against the effects of radiant heat.


View me on  
the website



# Product data sheet


 [sales@brannan.co.uk](mailto:sales@brannan.co.uk)


 [+44 \(0\)1946 816600](tel:+44(0)1946816600)

 [brannan.co.uk](http://brannan.co.uk)

# Product data sheet

 [sales@brannan.co.uk](mailto:sales@brannan.co.uk)

 [+44 \(0\)1946 816600](tel:+44(0)1946816600)

 [brannan.co.uk](http://brannan.co.uk)