


# Product data sheet

✉ [sales@brannan.co.uk](mailto:sales@brannan.co.uk)

☎ +44 (0)1946 816600

🌐 [brannan.co.uk](http://brannan.co.uk)

## WT025 - 5" INDUSTRIAL LIQUID-IN-GLASS THERMOMETERS



### Product features:

- Heavy duty protective case with glass tube thermometer
- **Brannan** quality and accuracy
- Straight or angled connection
- Dual Scale
- For hot water and chilled water systems

### Standard product specifications:

Scale	5" (127mm)
Case	Black aluminium (plastic available on request)
Design	ASME B40.200
Tube	Triangle tube with blue liquid filling
Window	Glass
Form	Bottom or 90° angle
Connection	1/2", 3/4" BSP/NPT
Stem (insertion)	45mm or 100mm (others available on request)
Pocket Material	Brass (lead free brass or SS available on request)
Ranges	-40 to +110°F&C through +50 to +400°F&C
Accuracy	+/- 2%
Protection	IP54

# Product data sheet


✉ [sales@brannan.co.uk](mailto:sales@brannan.co.uk)

☎ +44 (0)1946 816600


🌐 [brannan.co.uk](http://brannan.co.uk)

## Dimensions

### Bottom entry:



### Back entry:




Measurement for life.

Brannan

# Product data sheet

 [sales@brannan.co.uk](mailto:sales@brannan.co.uk)

 +44 (0)1946 816600

 [brannan.co.uk](http://brannan.co.uk)

## Standard product numbers (1/2" NPT connection):

Range	Product numbers - 45mm stem		Product numbers - 100mm stem	
	Straight case	Angled case	Straight case	Angled case
-40 to +110°F & -40 to +40°C	200/701/0	200/801/0	200/701/1	200/801/1
5 to 120°F & -15 to +50°C	200/705/0	200/805/0	200/705/1	200/805/1
20 to 180°F & -5 to +80°C	200/702/0	200/802/0	200/702/1	200/802/1
30 to 240°F & 0 to +115°C	200/703/0	200/803/0	200/703/1	200/803/1
30 to 300°F & 0 to +150°C	200/704/0	200/804/0	200/704/1	200/804/1