

Product data sheet

✉ sales@brannan.co.uk

☎ +44 (0)1946 816600

🌐 brannan.co.uk

ECO KIT - DOMESTIC

Product number: 25/710/0

The Brannan eco kit provide a selection of instruments to monitor temperature and humidity in your home.

The contents of this kit can be tailored to meet your specific needs. Talk to our sales team regarding a bespoke kit to meet your requirements.



Product features:

- Selection of easy to use instruments for measuring temperature and humidity.
- To assist with determining the most economical settings in your home.
- Supplied in robust card box with full operating instructions

Contents:

- Vertical fridge freezer thermometer
- Wood wall thermometer printed with energy saving tips
- Heavy duty, water resistant max min thermometer
- Water resistant probe thermometer
- Twin mini dial thermometer & hygrometer
- Water resistant timer
- Magnetic radiator thermometer

See following pages for information on each product.

Product specifications:

Gross weight: 713g

Gross dimensions: 110mm x 313mm x 95mm

Measurement for life.



Product data sheet

✉ sales@brannan.co.uk

☎ +44 (0)1946 816600

🌐 brannan.co.uk

TWIN FRIDGE AND FREEZER HANGING THERMOMETERS


Two thermometers, one for use in the fridge and one for freezer. Moulded in white plastic with hanging clip, these instruments assist with the safe storage of food by indicated the correct temperature at which fridge or freezer should be maintained.

Product features:

- Clear zones for showing when temperature of appliance is too hot, too cold or just right
- To assist with economic use of electricity
- Robust white case with hook for hanging from shelf in fridge and freezer
- Made in England

Product specifications:

Nominal range*:	-30 to -18°C (freezer) +0.5 to +5°C (fridge)
Accuracy:	+/- 1.0°C @ 10°C
CE & RoHS/WEEE:	N/A
Hazard information (SDS):	See brannan.co.uk for information
Product material:	Moulding: high impact styrene Glass tube: kerosene filled
Component weights:	Plastic: 12g Glass: 8g
Product weight:	Net: 20g Display card: 10g Gross: 30g
Product dimensions:	Net: 142mm x 18mm x 6mm x 2pcs Gross: 225mm x 84mm x 7mm



Description	Barcode	Product no
Twin vertical fridge or freezer thermometers	5 011405 224408	22/440/2

* PLEASE NOTE: Scales may differ slightly from those advertised due to manufacturing procedures

Product data sheet

✉ sales@brannan.co.uk

☎ +44 (0)1946 816600

🌐 brannan.co.uk

TWIN MINI DIAL HYGROMETER AND THERMOMETER

Compact instrument to read temperature and humidity simultaneously.
Coloured zones to indicate comfortable environment.

Product features:

- 2 x 65mm diameter dials for reading temperature and humidity
- Clear scales on white moulding with red pointers
- Supplied with double sided adhesive pads for convenient fixture
- Made in UK

Product specifications:

Temperature range:	-10 to +50°C&F
Humidity range:	0 to 100% RH
Divisions:	1°C / 2 %RH
Accuracy:	+/- 2°C / +/- 4 %RH
CE & RoHS/WEEE:	N/A
Hazard information (SDS):	See brannan.co.uk for information
Product material:	Dial back: high impact styrene Dial window: clear crystal styrene Hairspring: bimetal sensor with copper knob
Component weights:	Plastic: 20.5g Hairspring: 1g
Product weight:	Net: 25g Display packaging: 12g Gross: 37g
Dimensions:	Net: 130mm x 65mm x 12mm Gross: 186mm x 95mm x 12mm



Description	Barcode	Product no
Twin mini dial hygrometer and thermometer	5 011405 304155	30/415/3

Product data sheet

✉ sales@brannan.co.uk

☎ +44 (0)1946 816600

🌐 brannan.co.uk

WEATHERPROOF DIGITAL MAX MIN THERMOMETER

Attractive, digital max min thermometer, uniquely designed by Brannan.
Triple display simultaneously shows maximum, minimum and current temperature.
Weatherproof design - suitable for indoor or outdoor use.
Available in choice of white or green case.

Product features:

- Brannan unique weatherproof design
- Maximum, current and minimum readings simultaneously
- High accuracy
- Clear, easy to read LCD
- Hanging hook

Product specifications:

Temperature range:	-20°C to 50°C/°F (switchable)
Accuracy:	+/-1°C
Ingress protection:	IP65
Display resolution:	0.1°C/0.1°F
Sampling rate:	Every 10 seconds
Battery:	1pc x AAA
CE & RoHS/WEEE:	Compliant
Hazard information (SDS):	See brannan.co.uk for information
LCD dimensions:	68.5mm x 50mm
Product dimensions:	148mm x 111mm x 33.5mm
Product weight:	116.5g (incl. battery)



Description	Barcode	Product no
Weatherproof digital max min	5 011405 124326	12/432/3



Product data sheet

150MM WIDE, ENVIRONMENTALLY FRIENDLY, WOOD WALL THERMOMETER WITH ENERGY SAVING TIPS DESIGN

Brannan wood thermometers are manufactured using wood sourced from forests managed in a way that preserves biological diversity and benefits the lives of local people and workers. The forests are managed to strict environmental, social and economic standards. Packaging sourced from the same standard of forests.


This thermometer is printed with coloured scale and handy tips to encourage responsible habits to help reduce energy usage.

Product features:

- Sustainable wood wall thermometers sourced from forests managed to strict environmental, social and economic standards
- Ethically sourced to protect the biological diversity and benefits of local people and workers
- Ethically sourced, fully recycleable packaging
- Ideally suited to full colour customer branding and design (MOQ apply)
- Suitable for use indoor or outdoor*
- Easy to read, Celsius scale with coloured zones
- Made in UK

Product specifications:

Temperature range:	-20 to +50°C only**
Divisions:	1°C/2°F
Accuracy:	+/- 1.0°C @ 10°C
CE/ROHS/WEEE:	N/A
Hazard information (SDS):	See brannan.co.uk for information
Product material:	Beech wood mounting with kerosene filled glass tube
Component weights:	Wood: 44.5g Glass: 4g
Product dimensions :	Net: 150mm x 60mm x 8mm Gross: 190mm x 100mm x 9mm
Product weight:	Net: 48.5g Card packaging: 12.0g Gross: 60.5g



Description	Barcode	Product no
150mm wide wood wall Energy saving tips design	5 011405 142191	14/219/2

Please note: Due to the nature of the material, wood colours may vary slightly from those illustrated.

* If using outdoors, please site in protected position, away from direct sunlight to prolong the life of your thermometer.

** Scale ranges may differ slightly from those advertised due to manufacturing procedures.

Product data sheet

✉ sales@brannan.co.uk

☎ +44 (0)1946 816600

🌐 brannan.co.uk

WATER RESISTANT TIMER

Large water resistant and steam proof timer to IP64, with stand and suction cup.
99 minute, 59 second count up and countdown timer.

Product features:

- Water resistant and steam proof timer
- Count up and countdown function
- Stand clip and suction cup for fixture to shower, etc
- Battery included

Product specifications:

Timer count:	99 minutes, 59 seconds
Time accuracy standard:	+/- 0.005 minutes
Material:	ABS plastic
Battery:	1pc x LR44
Battery life:	Approx 1 year
CE & ROHS/WEEE:	Approved
Hazard information (SDS):	See brannan.co.uk for information
LCD dimensions:	20mm x 39mm
Product dimensions:	Net: 91mm x 79mm x 25mm Gross: 95mm x 82mm x 17mm
Product weights:	Net: 53g Display box: 15.5g Gross: 68.5g



Description	Barcode	Product no
Water resistant timer	5 011405 282156	28/215/0



Product data sheet

WATER RESISTANT DIGITAL TEST THERMOMETER

Water resistant thermometer with max min memory and hold function.
105mm stainless steel probe with pocket case and clip.
Probe thermometers can be supplied with UKAS calibration certificate or statement of conformity on request.
Packed in individual box with battery and full operating instructions.

Product features:

- Stainless steel probe
- Protective case and pocket clip
- Water resistant to IP65
- Battery and full instructions included

Product specifications:

Temperature range:	-40 to +200°C/°F
Accuracy:	-40 to -21°C: +/-4°C, -20 to -1°C: +/-2°C 0 to 100°C: +/-1°C, 101 to 150°C: +/-3°C 151 to 200°C: +/-4°C
Recommended minimum immersion length:	50mm*
Resolution:	0.1°C
Ingress protection:	IP65
Auto switch off:	After 10 minutes
Battery:	LR44 x 1 pc
Average battery life:	Approx 5000 hours
CE/ROHS/WEEE:	Compliant
Hazard information (SDS):	See brannan.co.uk for information
LCD dimensions:	18mm x 8mm
Probe dimensions:	105mm x Ø3.5mm reducing to Ø2.8mm
Product dimensions:	Net: 218mm x 23mm x 18mm Gross: 222mm x 25mm x 21mm
Product weight:	Net: 35g Display box: 10.5g Gross: 36.5g

Description	Barcode	Product no
Water resistant digital test thermometer	5 011405 311627	31/162/0

PLEASE NOTE:

The thermometers' metal probe can be submerged and left in water/liquid for an indefinite period of time. However, be aware, if left in hot liquid steam can damage the thermometer.
The plastic body of the thermometer is only water resistant to IP65. This means it can withstand low pressure water jets and water spray for small lengths of time, such as rinsing the thermometer under a low pressure tap to clean it.
If the plastic body of the thermometer is fully submerged into water, or subject to high pressure water jets, water ingress will occur and the thermometer will eventually stop working.

* The thermometers will operate at shorter immersions, however the stated accuracy cannot be maintained.



Product data sheet

✉ sales@brannan.co.uk

☎ +44 (0)1946 816600

🌐 brannan.co.uk

MAGNETIC RADIATOR THERMOMETER


Ø63mm bimetal dial thermometer with large magnet.
Measures temperature inside radiator.

Product features:

- Thermometer with large magnet for attaching to radiator
- Measures temperature inside radiator
- Low price and easy installation

Product specifications:

Dial diameters: 63mm
Design: BS EN 13190
Accuracy: +/-4°C
Ranges: 0 to +120°C&F
Material: **Case:** Galvanised steel case and bezel
Window: Glass
Pointer: Black plastic
Sensor mechanism: Standard bimetal coil
Product dimensions: Net: Ø63mm x 22mm
Gross: 72 x 72 x 30mm
Product weights: Net: 126g
Display box: 14g
Gross: 140g



Description	Barcode	Product no
Magnetic pipe thermometer	5 011405 334091	33/409/0

The product is designed to be placed on the external surface of a radiator but measure temperature inside the radiator. Because of this we apply an adjustment to ensure the temperature reading closely reflects the inside temperature. Due to the above it is not recommended to have the instrument calibrated by a calibration laboratory.